



Disperanto

Traffic Display Protocol

May 24, 2016
Document version 2.0



DOCUMENT INFORMATION

Title: Disperanto Traffic Display Protocol
Version: 2.0
Date: May 24, 2016
File: DisperantoProtocol v2.0.doc
Project: Disperanto

Document versions:

Version	Date	Author	Comment
0.1			<not translated>
0.2	2012-03-07	SSN	First English version
0.3	2012-04-13	SSN	Added: <ul style="list-style-type: none">• message number• diagnostics message• CRC + example
0.4	2012-07-02	SSN	Clarified some commands and encoding
0.5	2012-07-30	SGR	Added CRC in response when showing images
1.0	2013-07-05	HBR EGR	Initial open release
2.0	2016-05-24	JOA	Removed BMP as supported image format, stylecheck

This document is provided under the terms of the Creative Commons Public License. A summary explanation is available at:
<http://creativecommons.org/licenses/by-nd/3.0/>

Full license text can be found at the end of this document and is available at:
<http://creativecommons.org/licenses/by-nd/3.0/legalcode>

© Technolution B.V.



TABLE OF CONTENTS

1.	INTRODUCTION	4
1.1	Identification	4
1.2	System overview.....	4
1.3	Document overview.....	4
1.3.1	Purpose of the document.....	4
1.3.2	Structure of the document	4
2.	INTRODUCTION DISPERANTO	5
2.1	Data connection.....	5
2.2	Graphical functions	6
2.2.1	Image memory.....	6
2.2.2	Checking of images in memory slots	7
2.2.3	Showing an image.....	7
2.2.4	Image formats.....	7
2.2.5	Color model	7
2.2.6	Brightness table	8
2.3	Support functions	8
2.3.1	Notifications.....	8
2.3.2	Status request	8
2.3.3	Discovery	8
2.3.4	Display reboot	9
2.3.5	Communication timeout.....	9
2.4	Supplier specific service mode.....	9
2.5	Application of the protocol	9
2.5.1	Text rendering	9
2.5.2	VVX(G)-functionality on matrix display	9
2.5.3	Non-matrix displays.....	10
2.6	Remarks.....	10
3.	COMMUNICATION LAYER	11
3.1	Messages.....	11
3.1.1	Message numbers.....	11
3.1.2	Addressing	11
3.1.3	Grouping messages in a packet	11
3.1.4	Message structure	12
3.1.5	Message coding.....	13
3.1.6	Variable Length Quantity (VLQ)	14
3.1.7	Message timeout.....	14
3.1.8	CRC.....	14
3.2	Requirements for the display controller	14
3.2.1	Serial connection	14
3.2.2	TCP/IP connection	15
4.	MESSAGE DEFINITIONS	16
4.1	Notifications.....	16
4.1.1	Notifications of the display.....	16



- 4.1.2 Clear notifications 18
- 4.2 General commands 19
 - 4.2.1 Display properties 19
 - 4.2.2 Status 22
 - 4.2.3 Reboot 23
 - 4.2.4 Keep-alive 24
 - 4.2.5 Set communication timeout..... 24
 - 4.2.6 Set brightness table 24
 - 4.2.7 Set external lighting 25
 - 4.2.8 Diagnostics..... 25
- 4.3 Image functions 25
 - 4.3.1 Manipulate memory slot 25
 - 4.3.2 Calculate CRC of images 26
 - 4.3.3 Show no image 27
 - 4.3.4 Show image..... 27
 - 4.3.5 Start slide show 27
- 4.4 Service mode..... 28
 - 4.4.1 Supplier service mode 28
- 5. NOTES 29**
 - 5.1 Abbreviations..... 29
 - 5.2 Terminology..... 29
- APPENDIX A. CRC CODE EXAMPLE 30**
- APPENDIX B. CREATIVE COMMONS LICENCE..... 31**

1. INTRODUCTION

1.1 Identification

This document describes Disperanto (Traffic Display Protocol). This is the interface that controls displays showing route and parking information. Servers use this protocol to send the information to the displays.

1.2 System overview

Disperanto was designed to control traffic displays. It is an application protocol that is used in addition to existing network protocols. The protocol is designed to be applicable to a variety of traffic displays, such as full matrix displays, simple number displays and even rotation panels.




Figure 1: Disperanto is the protocol that connects servers and displays

The protocol is suited for both simple as well as high-resolution multicolor displays. It is efficient, flexible and scalable and can be used on various data connections. It has been optimized for mobile communication networks.

1.3 Document overview

1.3.1 Purpose of the document

The purpose of this document is to describe the protocol in sufficient detail to allow suppliers of traffic displays and of traffic management systems to implement it in software. Displays and management systems of independent suppliers should be interoperable.

1.3.2 Structure of the document

Chapter 2 gives a general description of the protocol and its functionality. Chapter 3 describes the communication layer. Chapter 4 describes the messages that are exchanged between the display controller and the management system.

2. INTRODUCTION DISPERANTO

Disperanto has the following capabilities:

- suitable for various displays: graphical, VVX(G), arrow and rotation panels;
- able to show fixed as well as loadable images;
- efficient transfer of full color images in low and high resolution;
- reliable communication with feedback from display;
- extended status messages from display to server;
- extended properties and capability messages from display to server;
- flexible in use because, as displays only have to support the functions specified in their capabilities;
- efficient communication by mobile infrastructure due to low overhead;
- can be used with communication over TCP/IP, UDP/IP and/or serial lines.

2.1 Data connection

The protocol is designed to be independent of any specific data connection. The carrying data connection can be connection-oriented or not. The connection can be stream- or packet-oriented. The protocol exchanges packets of data with a header and CRC. It is optimized for use on a mobile communication network.

The management system initiates the data connection to the display controller. The display controller will not initiate a connection and does not need to know how to connect to the management system.




Figure 2: Example of a setup in which a display controller controls several displays.




Figure 3: Data connection in which a master controller with serial interface controls a group of displays.

2.2 Graphical functions

The protocol is designed to control matrix displays. The images are supplied by the management system as raster images. The protocol doesn't have specific drawing commands for lines or texts.

2.2.1 Image memory

The display has memory slots for images that can be shown. Images can be created in working memory and stored in a writeable memory slot. Images can be composed from uploaded images and from images from memory slots. Memory slots can be used to store small images, such as symbols, that are only used for the composition of larger images.

An image in a memory slot can be smaller than the resolution of the display. If this kind of image is displayed, it is shown in the top left position, with a black area at the right and/or the bottom.

The protocol defines the following operations on working memory:

- initialize memory with a black image of the specified size;
- upload an image to a specified position in memory;
- clear a rectangle in the image;
- copy an image from a memory slot to a specified position in memory;
- store the image from working memory in a specified slot.

Black pixels of an uploaded or copied image are treated as fully transparent when they are added to working memory.




Figure 4: Operations on the image in working memory

2.2.2 Checking of images in memory slots

The protocol can be used to request the CRC of one or more images in memory slots. The CRC can be used to check that the memory slot contains the expected image.

The CRC of an image is computed using a left-to-right, top-to-bottom scan of all pixels. The R, G and B byte values of every pixel is taken and added to the CRC calculation. If a display uses indexed colors then the corresponding RGB value of the pixels should be used for the CRC computation. See section 3.1.8 for the specification of the CRC.

In case of a fixed image, 0 must be used as a CRC.

2.2.3 Showing an image

The display shows images from the memory slots. The protocol allows showing:

- no image;
- a single image;
- (optional) a slide show of images, where the time between image changes can be specified per image.

Note: there are no slide show transition effects.

2.2.4 Image formats

Images can be uploaded with various formats. The protocol uses the following formats:

- PNG

2.2.5 Color model

The display controller should indicate whether it uses a fixed palette of colors or an RGB color model. If the display uses a fixed palette, then the management system should only send indexed images using these particular colors. However, the management system can use different indexes, e.g. to send a monochrome image using only one of the colors of the palette. If a display uses an RGB color model,



then the management system can send RGB color images as well as indexed color images.

2.2.6 Brightness table

A brightness table can be uploaded to the display. The table contains the brightness of the display for the measured light intensity. For every step of 10% in measured intensity the corresponding brightness is given as a percentage of the maximum brightness. The display can interpolate the table for intermediate values.

2.3 Support functions

The protocol contains some support functions. Thus it is possible to request the capabilities and status of the display. The display can also send notifications.

2.3.1 Notifications

The display can send notifications for:

- warm/cold start;
- communication timeout;
- display defect non critical (only a few pixels);
- display defect;
- software defect;
- hardware defect;
- intrusion or vandalism;
- lighting defect;
- heating / cooling defect;
- temperature low;
- temperature high;
- luminance measurement defect;
- communication error;

Some notification, such as cold/warm start and intrusion, will stay active until the management system clears them with a command.

2.3.2 Status request

When requested, the display controller should send the status of the display containing:

- currently shown image (slot + CRC);
- brightness display;
- measured light intensity;
- (optional) GPS position;
- temperature;
- heating/cooling active.

2.3.3 Discovery

The management system can request the properties of the display. The system can use the properties to correctly control the display. A complete overview of the properties of a display can be found at the specification of the command in chapter 4.



2.3.4 Display reboot

The display can be rebooted with a command. After a requested reboot or after a power cycle the display controller should notify the management system of the reboot. This notification should be sent when the first message is received from the management system.

A distinction is made between cold and warm reboot. A warm reboot implies that all settings have been maintained in memory. The currently visible image is undefined and must be set by the management system.

A cold reboot implies that all settings may have been lost. The management system should upload all settings. The management system can check the CRC's of the image slots to verify whether they need to be uploaded again.

2.3.5 Communication timeout

The display can be configured to show a predefined image when it has not received any messages for a longer period. This period is configurable and can be disabled. To prevent expiration of the communication timeout the management system can send keep-alive messages.

2.4 Supplier specific service mode

The display controller (optionally) can be switched to a supplier specific service mode. This service mode can be used to update software and diagnose and configure the display. The protocol has a command to switch to the service mode. The command should be sent to all displays on one data connection at the same time. After this command, a supplier-specific protocol will be used and Disperanto no longer applies. The display will return to Disperanto after a reboot.

The supplier service application will give the command to switch to service mode. The management system should release the data connection in favor of the service application. As soon as the service application has rebooted the display, the management system can reconnect again.

2.5 Application of the protocol

2.5.1 Text rendering

The management system renders all texts using the correct font. The display does not contain a font and the protocol cannot upload texts.

The management system will create a raster image and upload the complete raster image or those parts that have changed. The management system can also upload single symbols and text fragments to memory slots to compose images without uploading full raster images every time.

2.5.2 VVX(G)-functionality on matrix display

A matrix display can be efficiently used as a VVX(G) display (full, free, closed, and number). The V, V and X images are stored in a memory slot. The digits 0 to 9 are stored as small images in other slots. A number is created by composing a new image from those small images.



2.5.3 Non-matrix displays

Non-matrix displays, such as panels with fixed images for arrows and VVX or rotation panels, can also be controlled with the protocol. These displays show fixed images in unmodifiable slots. These images are addressed with the same commands as images in writable slots.

A special case are VVXG displays that are capable of showing numbers. The numbers correspond to slots 0 to 9999. Slots 10000 till 10002 are used for V, V and X. Slot 10003 is used to indicate an error (for example when free spaces could not be determined)

2.6 Remarks

The protocol does not explicitly support the detection of displays on the data connection.

Note: this can be done implicitly by probing all display addresses on a connection.

The protocol does not offer authentication or data encryption support. It is assumed that the network is secure.

3. COMMUNICATION LAYER

The protocol consists of two parts, a communication layer and messages. This chapter describes the communication layer. The communication layer defines how messages are exchanged.

3.1 Messages

There are three types of messages: commands, responses and notifications. A command is a message from the management system to the display controller. The controller replies with a response message. There should be a response for every command. If the controller cannot reply to the message due to a failure, it should send a notification. A notification is a message from the display without corresponding command. The display should send notifications for failures and important status changes.

3.1.1 Message numbers

Messages sent by the management system have a cyclic message number. The responses from the display controller have the message number of the corresponding command message. In this way the management system can match requests and responses. The message numbers are cyclic from 1 to 255. Number 0 is used for notifications.

3.1.2 Addressing

Several displays can be connected to a single data connection. Every display has an address. An address consists of a number from 1 to 255.

Messages from the management system to the display contain one or more addresses. The display controller should send a single response for every address in the command message.

Messages from the display controller to the management system contain exactly one address, the address of the originating display. Address 0 is reserved for notifications coming from a master controller that controls several displays.

3.1.3 Grouping messages in a packet

Messages to and from the display controller are grouped in packets. A packet is a sequence of message of which the last message bears the indication 'last message'.

The display controller should process all messages of a packet and send one packet in return with all responses and notifications.

Example 1: Command and response

Commands to controller:

cmd A for display 1 and 2
cmd B for display 1
cmd C for display 2; last message



Response from controller:

response A of display 1
response A of display 2
response B of display 1
response C of display 2; last message

Example 2: Command and response with notification

Commands to controller:

cmd A for display 1 and 2
cmd B for display 1
cmd C for display 2; last message

Response of controller:

response A of display 1
response A of display 2
response B of display 1
response C of display 2
notifications of display 1: warm restart, critical display failure
notification of display 2: warm restart; last message

Example 3: Command and response with error

Commands to controller:

cmd A for display 1 and 2
cmd B for display 1
cmd C for display 2; last message

Response of controller:

response A of display 1
response A of display 2
notification of display 1: communication failure, illegal command
response C of display 2; last message

3.1.4 Message structure

The structure of a message is:

- message type (command/response);
- flag last message of packet;
- cyclic message number;
- address count (1..32 for command, 1 for response);
- addresses;
- command ID;
- length of data VLQ encoded;
- data;
- CRC (16 bits).

Every message ends with a 16 bit CRC. The CRC is calculated over all bytes of the message (except for the 2 CRC bytes).

A notification is encoded as a response with command ID 0x00.

Structure of message:

byte 0	bit7: 1 = command, 0 = response bit 6: 1 = last message of packet, 0 = not last message bit 0-5: address count (at least 1)
byte 1	message number (0..255)
byte 2..n + 1	n times display address (0..255)
byte n+2	command ID
byte n+3 ..	VLQ (see 3.1.6) length of data
m bytes	DATA
last 2 bytes	CRC (16 bits)




Figure 5: Structure of packet and message

3.1.5 Message coding

Messages are TLV (tag-length-value)-coded. This is a compact coding with a flexible binary format. If the data of a message has a flexible structure then this data is encoded as (compact) TLV.

In compact TLV encoding, the tag is only 6 bits and the highest 2 bits of the first byte are used as length indication. These bits indicate whether there are 0, 1, 2 or more bytes of data. If the data is longer than 2 bytes, the length is given in a VLQ encoded value after the tag.

The meaning of bits 6 and 7 of the first byte in compact TLV:

bit 7	bit 6	length of data
0	0	no data



0	1	1 byte data immediately after tag
1	0	2 bytes data immediately after tag
1	1	after the tag there is a VLQ value with the length of the data

The description of messages with data in compact TLV encoding contains the 6 bits tag. The length indication must be derived from the length of the data.

3.1.6 Variable Length Quantity (VLQ)

Unsigned integer values in the protocol are VLQ (variable length quantity) coded. A VLQ value is stored in a variable number of bytes. The highest bit of every byte indicates whether there are more bytes, i.e. bit 7 is 1 if there are more bytes following and bit 7 is 0 for the last byte of the value. The other 7 bits represent the value. The order of the bytes is big endian. The most significant bits are first in the stream.

The maximum value for VLQ values in this protocol is $2^{31}-1$ (2147483647), i.e. they always fit in a signed 32 bit integer.

Values up to 127 fit into one byte. Values from 128 up to 16383 are stored in two bytes. Values from 16384 up to 2097151 are stored in 3 bytes. Values from 2097152 to 268435455 are stored in 4 bytes. Values up to 2147483647 are stored in 5 bytes.

3.1.7 Message timeout

The management system expects a reply to every command. The behavior of the management system after/during a timeout is implementation-dependent. The system can resend the same messages or send other messages, depending on the behavior desired.

3.1.8 CRC

A 16 bits CRC is applied to message and images. The CRC uses the CCITT polynomial with initial value 0xFFFF and no mask.

The CCITT polynomial is $x^{16} + x^{12} + x^5 + 1$ (= 0x1021).

Appendix A contains a code example of CCITT (0xFFFF) in Java.

3.2 Requirements for the display controller

Modification of the connection configuration on the controller is supplier-specific. The configuration cannot be changed via Disperanto. Disperanto has some requirements for the connection as detailed below.

3.2.1 Serial connection

A display controller with a serial connection should have a long and configurable inter-character timeout (> 1 s). A short timeout could lead to communication errors with IP-to-serial conversion because one packet of messages could be larger than one IP packet and the timing of IP packets cannot be guaranteed.



3.2.2 TCP/IP connection

The controller must have a timeout on the TCP connection. The controller should close the connection when no data has been received for the duration of the specified period. This timeout must be configurable.

A timeout on the TCP connection is necessary, because the management system could lose the connection while the controller is not notified of this event. This can happen when the management system has a power failure or when there are network failures. The management system cannot connect to the controller when the controller still has an open connection. Therefore the controller should close the connection after a timeout.

4. MESSAGE DEFINITIONS

This chapter describes the messages to and from the display controller.

4.1 Notifications

Notifications are messages from a display controller that are not replies to a command. They are sent to the management system in a packet with responses.

4.1.1 Notifications of the display

Command ID: 0x00

Notifications are coded as response messages with command ID 0x00.

Notifications are compact TLV encoded (see section 3.1.5).

Notifications

Name	Communication error
Description	Command cannot be handled by controller
Tag	0x01
Data length	1 byte
Data	0: CRC error 1: unknown command 2: illegal data in command

Name	Software failure
Description	An error occurred in the software.
Tag	0x02
Data length	no data
Data	-

Name	Hardware failure
Description	A failure has been detected in the hardware
Tag	0x03
Data length	no data
Data	-

Name	Cold restart
Description	The display has restarted and all settings could be erased from memory. This notification stays active until it is explicitly cleared by the management system. If it was not cleared before a warm start, then this notification should stay active.
Tag	0x04
Data length	no data
Data	-



Name	Warm restart
Description	The display had a restart while maintaining all settings in memory. Only the currently shown image is undefined. This notification stays active until it has been explicitly cleared by the management system.
Tag	0x05
Data length	no data
Data	-

Name	Communication timeout
Description	The display has not received any commands during the specified period. The configured timeout image is being shown. This notification stays active until it is explicitly cleared by the management system.
Tag	0x06
Data length	no data
Data	-

Name	Non critical display defect
Description	Some pixels on the display are defective, but this is below the critical threshold.
Tag	0x07
Data length	no data
Data	-

Name	Critical display defect
Description	Several pixels on the display are defective and this is above the critical threshold.
Tag	0x08
Data length	no data
Data	-

Name	Intrusion
Description	This notification signals that the housing has been opened or could have been damaged. It could be detected with various sensors. This notification stays active until it has been explicitly cleared by the management system.
Tag	0x09
Data length	no data
Data	-

Name	External lighting defect
Description	External lighting is defective.
Tag	0x0A
Data length	no data
Data	-



Name	Heating defect
Description	Heating is defective.
Tag	0x0B
Data length	no data
Data	-

Name	Cooling defect
Description	Cooling is defective.
Tag	0x0C
Data length	no data
Data	-

Name	Temperature low
Description	Temperature is low.
Tag	0x0D
Data length	no data
Data	-

Name	Temperature high
Description	Temperature is high.
Tag	0x0E
Data length	no data
Data	-

Name	Luminance sensor defect
Description	One of the luminance sensors is defective.
Tag	0x0F
Data length	no data
Data	-

4.1.2 Clear notifications

Command ID: 0x00

The command with ID 0x00 is a special command. It is used to clear notifications. The description of the notifications above indicate which notifications need to be cleared. The data of this command consists of a list of tags of the notifications that need to be cleared.

The response for this command is a new notification message with the notifications that are still active. This could be an empty notification message when there are no active notifications.

Command data:

notifications	List with tags of the notifications to clear. These are tags without data. The two most significant bits of the tag are always 0.
---------------	--



Response data:

The response is a notification according to section 4.1.1.

4.2 General commands

4.2.1 Display properties

Command ID: 0x01

Command data:

<none>	
--------	--

Response data is compact TLV encoded (see section 3.1.5). The data elements must be sorted by tag in ascending order.

Response data:

Name	Protocol version
Description	The version of the protocol implemented by the controller.
Mandatory	Always
Tag	0x00
Length	1 byte
Data	0x02 = Current protocol version

Name	Display type
Description	Display type according to the protocol usage. Note: A matrix display used as VVX(G) is still a matrix display.
Mandatory	Always
Tag	0x01
Length	1 byte
Data	0x01: Matrix 0x02: VVX 0x03: VVXG 0x04: Arrows 0x05: Rotation panel

Name	Supplier and product type
Description	Free format text with name of supplier and product.
Mandatory	Always
Tag	0x02
Length	1..40
Data	ASCII max. 40 characters

Name	Serial number
Description	Free format text with serial number.
Mandatory	Always
Tag	0x03
Length	1..20
Data	ASCII max. 20 characters



Name	Software version
Description	Free format text with software version.
Mandatory	Always
Tag	0x04
Length	1..20
Data	ASCII: max. 20 characters

Name	External lighting
Description	This tag should be present if the display has external lighting.
Mandatory	Optional
Tag	0x05
Length	no data
Data	-

Name	Display height
Description	Height of display in pixels.
Mandatory	Mandatory for matrix displays, not used for other displays
Tag	0x10
Length	1 or 2 bytes
Data	VLQ coded height (max. 16383)

Name	Display width
Description	Width of the display in pixels.
Mandatory	Mandatory for matrix displays, not used for other displays
Tag	0x11
Length	1 of 2 bytes
Data	VLQ code width (max. 16383)

Name	Number fixed images
Description	Number of fixed images on the display controller.
Mandatory	Optional
Tag	0x12
Length	1 of 2 bytes
Data	VLQ coded number images (max. 16383)

Name	Number writable images
Description	Number of writable images on the display controller.
Mandatory	Optional
Tag	0x13
Length	1 of 2 bytes
Data	VLQ coded number images (max. 16383)

Note: if a display has both fixed and writable images then the first n slots are used for the fixed images and the following m slots for the writable images.



Name	Slide show
Description	This tag should be present if the display can show a sequence of images.
Mandatory	Optional
Tag	0x14
Length	1 byte
Data	maximum number of images in the slide show (max. 127)

Name	RGB colors
Description	This tag indicates that the display uses RGB color coding. The data contains the color depth per color. The management system could use this information for a correct representation of the images on the user interface.
Mandatory	Matrix displays should send the tag 'RGB colors' or the tag 'fixed color palette'. Not used for other displays
Tag	0x15
Length	3 bytes
Data	data[0]: number of bits red (max. 8) data[1]: number of bits green (max. 8) data[2]: number of bits blue (max. 8)

Name	Fixed color palette
Description	This tag indicates that the display uses indexed colors with a fixed color palette. The management system should send only images with color of specified color palette.
Mandatory	Matrix displays should send either the tag 'RGB colors' or the tag 'fixed color palette'. Not used for other displays
Tag	0x16
Length	multiple of 3
Data	3 bytes for every entry in the palette: R, G, B.

Name	PNG supported
Description	Indicates that the display controller can decode PNG images.
Mandatory	Mandatory for matrix displays. Not used for other displays.
Tag	0x17
Length	0 bytes
Data	-



4.2.2 Status

Command ID: 0x02

Command data:

<none>	
--------	--

Response data is compact TLV-encoded (see section 3.1.5). The data elements must be sorted by tag in ascending order.

Response data:

Name	Shown image
Description	Image that is currently being shown. If the display is showing a slide show, then the response contains all images of the slide show. If no image is being shown, then the data is empty. Note: all images of an active slide show should be returned. There is no indication of which image of the slide show is currently being shown.
Mandatory	Always
Tag	0x01
Length	variable
Data	For every image: VLQ slot (1 or 2 bytes), CRC (2 bytes)

Name	Brightness of the display
Description	Current brightness of the display.
Mandatory	Mandatory, except for rotation panel
Tag	0x02
Length	1 byte
Data	0..100 (%)

Name	Intensity external lighting
Description	Current intensity external lighting.
Mandatory	Mandatory if external lighting is present.
Tag	0x03
Length	1 byte
Data	0..100 (%)

Name	Measured light intensity
Description	Measured light intensity of every sensor in logical order. The sensors are supposed to have sequential numbers on the display.
Mandatory	Mandatory if light sensors are present
Tag	0x04
Length	1 byte per sensor
Data	a byte per sensor with value: 0..100 (%)



Name	GPS position
Description	GPS position of a mobile display
Mandatory	Optional
Tag	0x05
Length	variable (max. 40 characters)
Data	Readable ASCII text: <longitude>, <latitude> where longitude and latitude are decimal values in degrees with a point as decimal separator, e.g. 5.659607831011106, 51.47965605014039

Name	Temperature
Description	Temperature in display housing.
Mandatory	Mandatory if temperature sensor is present
Tag	0x06
Length	1 byte
Data	signed byte: degrees Celsius Note: this is a signed value and therefore <i>not</i> VLQ-coded.

Name	Heating
Description	State of the heating
Mandatory	Mandatory if heating is present
Tag	0x07
Length	1 byte
Data	0: off, 1: on

Name	Cooling
Description	State of cooling.
Mandatory	Mandatory if cooling is present
Tag	0x08
Length	1 byte
Data	0: off, 1: on

4.2.3 Reboot

Command ID: 0x03

Request a reboot of the display controller.

Command data:

<none>	
--------	--

Response data:

<none>	
--------	--

The display first sends the response and then restarts.



4.2.4 Keep-alive

Command ID: 0x04

The keep-alive is an empty message to check communication and prevent a communication timeout.

Command data:

<none>	
--------	--

Response data:

<none>	
--------	--

4.2.5 Set communication timeout

Command ID: 0x05

If the display has not received any commands for a period longer than the communication timeout it will show the configured image.

Command data:

mode	0x00: no timeout 0x01: clear display after timeout 0x02: show specified image after timeout
communication timeout	VLQ-coded timeout in seconds (only present if mode is 0x01 or 0x02)
image	VLQ image slot (only present if mode is 0x02)

Response data:

<none>	
--------	--

4.2.6 Set brightness table

Command ID: 0x06

Command data:

Brightness at 0% measured intensity	1 byte: 0..100 (%)
Brightness at 10% measured intensity	1 byte: 0..100 (%)
Brightness at 20% measured intensity	1 byte: 0..100 (%)
Brightness at 30% measured intensity	1 byte: 0..100 (%)
Brightness at 40% measured intensity	1 byte: 0..100 (%)
Brightness at 50% measured intensity	1 byte: 0..100 (%)
Brightness at 60% measured intensity	1 byte: 0..100 (%)
Brightness at 70% measured intensity	1 byte: 0..100 (%)
Brightness at 80% measured intensity	1 byte: 0..100 (%)
Brightness at 90% measured intensity	1 byte: 0..100 (%)
Brightness at 100% measured intensity	1 byte: 0..100 (%)



The brightness varies from 0 to 100% of the maximum brightness. The display can interpolate the brightness for intermediate values of the intensity.

Response data:

<none>	
--------	--

4.2.7 Set external lighting

Command ID: 0x07

This command sets the state of the external lighting.

Command data:

lighting state	0: off 1: on 2: automatic
----------------	---------------------------------

Response data:

<none>	
--------	--

4.2.8 Diagnostics

Command ID: 0x08

In response to the diagnostics command the display should send a human-readable diagnostics message. The text is supplier-specific and contains the details of defects, such as the number of defective pixels.

Command data:

<none>	
--------	--

Response data:

diagnostics message	UTF8 coded human-readable text. Max. 1024 bytes. Line feeds (LF) can be used to improve readability.
---------------------	---

4.3 Image functions

4.3.1 Manipulate memory slot

Command ID: 0x10

The controller should manipulate the image in working memory and store it in a memory slot. If the display was showing the (old) image of the specified slot, then it should immediately replace the image displayed.

The command data is compact TLV-encoded (see section 3.1.5).



Command data:

Name	Initialize working memory
Description	Initialize working memory with a black image of specified size.
Tag	0x00
Length	2..4 bytes
Data	VLQ width, VLQ height

Name	Clear rectangle
Description	Clear a rectangle in the image (results in black region).
Tag	0x01
Length	variable
Data	VLQ left, VLQ top, VLQ width, VLQ height

Name	Load image
Description	Loads on image on specified position
Tag	0x02
Length	variable
Data	VLQ left, VLQ top, image type (1 byte), image data (n bytes) image type: 0x01: BMP (available for backward compatibility) 0x02: PNG

Name	Copy image
Description	Copy an image from a memory slot to the specified position in working memory.
Tag	0x03
Length	variable
Data	VLQ left, VLQ top, VLQ memory slot of image

Name	Store image
Description	Store image in specified memory slot.
Tag	0x04
Length	1 or 2 bytes
Data	VLQ memory slot

Response data:

CRC16 of image	2 bytes (16 bits), see 2.2.2
----------------	------------------------------

4.3.2 Calculate CRC of images

Command ID: 0x11

The controller should calculate the CRC of the images in specified memory slots. The command data contains a list of memory slots.

Command data

Images	Per image VLQ of memory slot
--------	------------------------------



Response data:

CRC16	2 bytes (16 bits) per image, see 2.2.2
-------	--

4.3.3 Show no image

Command ID: 0x12

The display should show no images. The display controller could switch to an energy saving mode. The controller could also lighten some pixels in the corner of the display to show the status of the display.

Command data:

<none>	
--------	--

Response data:

<none>	
--------	--

4.3.4 Show image

Command ID: 0x13

The image in the specified memory slot should be shown on the display.

If the image in the slot is being modified the changes should be effectuated immediately.

Command data:

Image	VLQ-coded image slot
-------	----------------------

Response data:

CRC16 of image	2 bytes (16 bits) , see 2.2.2
----------------	-------------------------------

4.3.5 Start slide show

Command ID: 0x14

The display should show the sequence of images. The sequence can be shown once or cyclically. If the sequence is shown once, then the last image will remain on the display.

The resolution is a tenth of a second to create blinking texts/symbols.

Command data:

Cyclic	1 byte: 0: show once 1: show cyclic
--------	---

Per image:

image	VLQ memory slot
time to show image	VLQ time in tenths of a second



Response data:

CRC16	2 bytes (16 bits) per image, see 2.2.2
-------	--

4.4 Service mode

4.4.1 Supplier service mode

Command ID: 0x30

This command switches the display controller into service mode.

Command data:

<none>	
--------	--

Response data:

<none>	
--------	--



5. NOTES

5.1 Abbreviations

A list of abbreviations used.

Abbreviation	Meaning
IDD	Interface Design Description
VVX(G)	Dutch: vol, vrij, kruis, (getal) English: full, free, closed (number)
TLV	Type, length, value of tag length value.
VLQ	Variable length quantity. Value that is coded with a variable number of bytes. The highest bit of every byte indicates whether there are more bytes. The other 7 bits represent the value. The order of the bytes is big endian. The most significant bits are first in the stream. Values up to 127 fit into one byte. Values from 128 up to 16383 are stored in two bytes. Values from 16384 up to 2097151 are stored in 3 bytes. Values from 2097152 to 268435455 are stored in 4 bytes. Values up to 2147483647 are stored in 5 bytes.

5.2 Terminology

A list of terminology used.

Term	Explanation
Management system	(server) application managing the displays.
Display address	Address of a display (1..255)

APPENDIX A. CRC CODE EXAMPLE

Below is a sample implementation of the CCITT (0xFFFF) CRC.

The CRC of the ASCII data of “123456789” is 0x29B1.

```
/**
 * Calculates CRC16-CCITT.
 *
 * @param data bytes to calculate CRC on.
 * @return CRC
 */
public static short calculate(byte[] data) {
    int crc = 0xFFFF; // initial value
    int polynomial = 0x1021; // 0001 0000 0010 0001 (0, 5, 12)

    for (byte b : data) {
        for (int i = 0; i < 8; i++) {
            boolean bit = ((b >> (7 - i) & 1) == 1);
            boolean c15 = ((crc >> 15 & 1) == 1);
            crc <<= 1;
            if (c15 ^ bit) {
                crc ^= polynomial;
            }
        }
    }

    return (short)crc;
}
```

APPENDIX B. CREATIVE COMMONS LICENCE

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.

"Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.

"Distribute" means to make available to the public the original and copies of the Work through sale or other transfer of ownership.

"Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.

"Original Author" means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.



"Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

"Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.

"Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights. Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections; and,

to Distribute and Publicly Perform the Work including as incorporated in Collections.

For the avoidance of doubt:



Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;

Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,

Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats, but otherwise you have no rights to make Adaptations. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(b), as requested.

If You Distribute, or Publicly Perform the Work or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution Parties") in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the



URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work. The credit required by this Section 4(b) may be implemented in any reasonable manner; provided, however, that in the case of a Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial to the Original Author's honor or reputation.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this



License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.